

Bleeding Diathesis Evaluation

Test Name	Bleeding Diathesis Evaluation
Panel?	Yes
Tests in Panel	5780- CBC - Diff & platelets, 5798- PT, 5835- aPTT, 5729- Factor VIII (8) Clotting activity, 5769- Factor IX (9) Clotting activity, 5737- Factor XI (11) Clotting activity, 5739- Factor XIII (13) activity, 5808- Ristocetin Cofactor- vWFActivity(vWF:RCoF), 5815- von Willebrand Factor Antigen(vWF:Ag).
Clinical Utility and/or Limitations	Assessment of coagulation factors and platelet systems in patients with possible inherited or acquired bleeding disorders
Diagnosis Under Consideration	Panel for individuals with excessive bruising, nosebleeds, heavy periods, dental bleeding and other serious bleeding after invasive procedures.

Ordering Details

Test Code	5997-2
Assay Schedule	See individual tests
Turnaround Time	7-10 Days
Preferred Specimen and Volume	1 lav, 3 blue (4 aliq)

Specimen Handling Information

Specimen Storage	Lavender Tubes should be stored and shipped separately at Room Temperature. Frozen Plasma aliquot tubes must be frozen and shipped on dry ice.
Causes For Specimen Rejection	Frozen Specimens will be rejected if grossly hemolyzed, clotted, or thawed.

Billing Information

CPT Codes	85025 (1), 85730 (1), 85610 (1), 85240(1), 85250 (1), 85270 (1), 85245 (1), 85246 (1), 85290 (1)
-----------	--